

L Number	Hits	Search Text	DB	Time stamp
1	259	(711/2).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:47
2	425	(711/200).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:47
3	223	(711/211).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:47
4	174	(711/212).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:47
5	346	(711/217).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:47
6	193	(711/218).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:47
7	309	(711/219).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:47
8	561	(711/220).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:47
9	0	("((externalorbaseorinitial)near5address)withcompar\$5").PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:48
10	2220	((external or initial or base) near5 address) with compar\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:49
11	8	((711/2).CCLS.) and (((external or initial or base) near5 address) with compar\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:49
12	22	((711/200).CCLS.) and (((external or initial or base) near5 address) with compar\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:49
13	17	((711/211).CCLS.) and (((external or initial or base) near5 address) with compar\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:49
14	10	((711/212).CCLS.) and (((external or initial or base) near5 address) with compar\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:49
15	18	((711/217).CCLS.) and (((external or initial or base) near5 address) with compar\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:49

16	10	((711/218).CCLS.) and (((external or initial or base) near5 address) with compar\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:50
17	17	((711/219).CCLS.) and (((external or initial or base) near5 address) with compar\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:50
18	43	((711/220).CCLS.) and (((external or initial or base) near5 address) with compar\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 10:50
-	545	external adj column adj address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:26
-	25	(external adj column adj address) with compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:33
-	1244	(column adj address) with compar\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:34
-	218	(column adj address) with compar\$4 with (address near5 generat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:34
-	56	(column adj address) with compar\$4 with (address near5 generat\$3) with (enabl\$3 or disabl\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/18 15:35
-	1286	(external adj address) with (internal adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 09:13
-	88	(external adj address) with (internal adj address) with (address adj decoder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 10:59
-	9	(address adj counter) with (internal adj address) with (address adj decoder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 11:01
-	594	(address adj counter) with (internal adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 11:01
-	569	(address adj counter) near10 (internal adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 11:02
-	4	((address adj counter) near10 (internal adj address)) with comparator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 11:03
-	166	(external adj address) with comparator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 12:47

-	45	((page adj length) near5 register)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 13:11
-	5	(page adj stop) near5 value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 13:14
-	281	page adj mode adj cycle	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 13:14
-	36	(page adj mode adj cycle) with (column adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 13:27
-	11	comparator with value with (external adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 14:12
-	546	external adj column adj address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 14:13
-	5	(external adj column adj address) with comparator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 14:15
-	549	(column adj address) with comparator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 14:16
-	308	(column adj address) near5 comparator	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 14:16
-	45	((column adj address) near5 comparator) with decoder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 14:24
-	15	comparator with (external adj address) with count\$2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 15:14
-	0	set\$4 near5 (external adj address) near5 value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 15:17
-	0	(external adj address) near5 value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 15:17
-	226	(external adj address) near5 value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 15:17
-	42	set\$4 near5 (external adj address) near5 value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 16:32

-	3	(enable with transfer) same (compar\$3 with (external near5 address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 10:05
-	783	(compar\$3 with (external near5 address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 10:05
-	121	compar\$3 with (external near5 address) with (internal near5 address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 10:22
-	546	external adj column adj address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 10:22
-	24	(compar\$3 with (external adj column adj address))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 10:27
-	249	page adj mode adj read	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 10:28
-	100	compar\$3 near5 COL	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 10:30
-	509	compar\$3 near5 (column adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 10:30
-	54	(compar\$3 near5 (column adj address)) with decoder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 10:42
-	205	ending adj column	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 10:43
-	4	(ending adj column) near5 compar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 10:44
-	800	(column near5 address\$2) near5 compar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 10:58
-	53	(external near10 (column near5 address\$2) near10 compar\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 10:52
-	512	(column adj address\$2) near5 compar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 11:02
-	9	(external adj column adj address\$2) near5 compar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 11:05

-	888	internal adj column adj address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 11:43
-	21	compar\$3 with (internal adj column adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 12:23
-	509	(column adj address) near5 compar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 12:25
-	0	((column adj address) near5 compar\$3) with (enalbel near5 transfer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 12:25
-	0	((column adj address) near5 compar\$3) with (enable near5 transfer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 12:26
-	29	((column adj address) near5 compar\$3) with (enable)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 12:33
-	37	((column adj address) near5 compar\$3) with counter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 12:44
-	3	page adj stop adj value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 13:26
-	2754	latch\$3 near5 (column adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 13:29
-	49	(latch\$3 near5 (column adj address)) near10 compar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 13:51
-	7	(latch\$3 adj column adj address) near10 compar\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/31 13:47
-	21	page near5 stop near5 value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 14:01
-	4692	((base or initial or external) near5 address) same compar\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 16:19
-	4666	((base or initial or external) near5 address) same compar\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 14:03
-	23	((base or initial or external) near5 address) same compar\$5 same (page near5 value)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 14:15

-	2215	((base or initial or external) near5 address) with compar\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 14: 15
-	389	((base or initial or external) near5 address) with compar\$5 with value	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 14: 38
-	5949	external adj address	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 14: 38
-	276	(external adj address) near10 compar\$	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 14: 39
-	101	((base or initial or external) near5 address) same compar\$ same ((last adj column) or (row near5 end\$3) or (page near5 end\$3) or boundary or border)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 17: 20
-	6	(external near5 address) with compar\$5 with ((stop or end\$3) adj address)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/03 17: 27